

## **AMENDMENTS**

https://doi.org/10.1038/s41563-021-01116-x



## Author Correction: Extraction of mobile charge carrier photogeneration yield spectrum of ultrathin-film metal oxide photoanodes for solar water splitting

Daniel A. Grave, David S. Ellis, Yifat Piekner, Moritz Kölbach, Hen Dotan, Asaf Kay, Patrick Schnell, Roel van de Krol, Fatwa F. Abdi, Dennis Friedrich, and Avner Rothschild.

Correction to: Nature Materials https://doi.org/10.1038/s41563-021-00955-y, published online 19 April 2021

In the version of this Article initially published, in the paragraph beginning "To elucidate the contributing and non-contributing components of absorption," in the fifth sentence originally reading "However, we can place lower and upper limits on  $\alpha_{\rm C}(\lambda)$  by taking  $\bar{p}=1$  (upper dotted line in Fig. 4a) and maximal  $\xi(\lambda)=1$  (lower dotted line in Fig. 4a), respectively", the terms "upper dotted line" and "lower dotted line" were inadvertently reversed. The sentence has been corrected to read: "However, we can place lower and upper limits on  $\alpha_{\rm C}(\lambda)$  by taking  $\bar{p}=1$  (lower dotted line in Fig. 4a) and maximal  $\xi(\lambda)=1$  (upper dotted line in Fig. 4a), respectively."

In the Supplementary Information accompanying this article, in Supplementary Fig. 4a, the EQE values were an order of magnitude too large. The five y-axis tick values originally ranging from "0" to "80" are now corrected to read: "0, 2, 4, 6, 8." In the Supplementary Fig. 4b y-axis label, milliwatts were inadvertently written rather than microwatts. The label reading "Incident Optical Power ( $mW/nm/cm^2$ )" has now been corrected to read: "Incident Optical Power ( $\mu W/nm/cm^2$ )."

The original Article has been corrected in the online version of the paper.

Published online: 9 September 2021 https://doi.org/10.1038/s41563-021-01116-x

© The Author(s), under exclusive licence to Springer Nature Limited 2021